



## Product Information

### Anti-Serine/Threonine Protein Phosphatase 2C $\alpha/\beta$ Developed in Rabbit, IgG Fraction of Antiserum

Product Number **P 8609**

#### Product Description

Anti-Serine/Threonine Protein Phosphatase 2C  $\alpha/\beta$  is developed in rabbit using a highly purified peptide as the immunogen.

Anti-Serine/Threonine Protein Phosphatase 2C  $\alpha/\beta$  recognizes 44-46 kDa protein phosphatase 2C  $\alpha$  and  $\beta$  isoforms from human, mouse, rat and bovine by immunoblotting and immunoprecipitation.

The balance between protein kinase and phosphatase activities is responsible for controlling the level of protein phosphorylation and is a central mechanism controlling a wide range of cellular processes. Protein phosphatases are present in all eukaryotic cells and regulate several cellular processes among them cell-cycle progression, transcriptional regulation, cell growth, differentiation and apoptosis. The serine/threonine phosphatases have been classified into four groups which include PP1, PP2A, PP2B (also termed calcineurin) and PP2C on the basis of differences in their biochemical properties.<sup>1,2</sup> Protein phosphatase 1, 2A and 2B are highly homologous members of the same family, but differ in their substrate specificity and interaction with regulatory molecules.<sup>2,3</sup> PP2C appears to belong to an unrelated family.<sup>4</sup>

Protein Phosphatase 2A (PP2A) is a multimeric serine/threonine phosphatase that is implicated in numerous cellular processes including: cellular metabolism, DNA replication, transcription, RNA splicing, translation, cell-cycle progression, morphogenesis, development and transformation.<sup>5,6</sup> The PP2A holoenzyme consists of a catalytic subunit (C), a structural subunit (A) and a regulatory subunit (B). The diversity of PP2A substrates requires diversity of the enzyme. The C subunit of PP2A is well conserved, however. Instead, the B subunits regulate PP2A substrate specificity largely by targeting the holoenzyme to the proper cellular location.<sup>7</sup> There are three distinct classes of B subunits, coded by at least 13 genes containing alternative splice sites.<sup>6</sup>

#### Reagents

Anti-Serine/Threonine Protein Phosphatase 2C  $\alpha/\beta$  is supplied as 100  $\mu$ g of purified IgG in phosphate buffered saline with 0.08% sodium azide.

#### Precautions and Disclaimer

Due to the sodium azide content, a material safety data sheet (MSDS) for this product has been sent to the attention of the safety officer of your institution. Consult the MSDS for information regarding hazardous and safe handling practices.

#### Storage/Stability

Antibodies should be stored at  $-20^{\circ}\text{C}$ . For extended storage, freeze in working aliquots. Repeated freezing and thawing is not recommended. Storage in "frost-free" freezers is not recommended. If slight turbidity occurs upon prolonged storage, clarify the solution by centrifugation before use. Working dilution samples should be discarded if not used within 12 hours.

#### Product Profile

The recommended working dilution is 1:1000 to 1:5000 for immunoblotting using peroxidase conjugated goat anti-rabbit IgG and chemiluminescent detection. The recommended working dilution for immunoprecipitation is 1:1000 to 1:5000.

Note: In order to obtain best results and assay sensitivities of different techniques and preparations, we recommend determining optimal working dilutions by titration test.

#### References

1. Ingebritsen, T.S., and Cohen, P., *Science* **221**, 331 (1983).
2. Shenolikar, S., and Nairn, A.C., *Adv. Second Messenger Phosphoprotein* **23**, 123 (1991).
3. Berndt, N., et al., *FEBS Lett.* **223**, 340 (1987).
4. Tamura, S., et al., *Proc. Natl. Acad. Sci. USA* **86** 1796 (1989).

5. Wera, S. and Hemmings, B.A., Biochem. J., **311**, 17 (1995).
6. Mayer-Jaekel, R.E. and Hemminigs, B.A., Trends Cell Biol., **4**, 287 (1994).
7. Virshup, D.M., Curr. Opin. Cell. Biol., **12**, 180 (2000).

mje 8/00

Sigma brand products are sold through Sigma-Aldrich, Inc.

Sigma-Aldrich, Inc. warrants that its products conform to the information contained in this and other Sigma-Aldrich publications. Purchaser must determine the suitability of the product(s) for their particular use. Additional terms and conditions may apply. Please see reverse side of the invoice or packing slip.