

3050 Spruce Street Saint Louis, Missouri 63103 USA Telephone 800-325-5832 • (314) 771-5765 Fax (314) 286-7828 email: techserv@sial.com sigma-aldrich.com

ProductInformation

Calcium phosphate tribasic Insect Cell Culture Tested

Product Number **C 5804** Store at Room Temperature

Product Description

Molecular Formula: $Ca_5(OH)(PO_4)_3$ Molecular Weight: 502.3 CAS Number: 12167-74-7 Synonyms: tricalcium phosphate, tricalcium orthophosphate¹

This product is insect cell culture tested (0.1 mg/ml) and is appropriate for insect cell culture applications.

Calcium phosphate tribasic is a reagent that is used in various industrial processes. These include the manufacture of fertilizers, polishing and dental powders, porcelain and pottery, and enameling.¹

Calcium phosphate tribasic is also utilized to engineer new biomaterials for applications such as bone grafts and fillers.^{2,3,4} Rat and human tumor cell osteoclasts have been investigated with respect to their resorption properties on calcium phosphate tribasic.⁵ The effect on the proliferation of MRC-5 fibroblasts on calcium phosphate tribasic ceramics, which have been sintered at different temperatures, has been studied.⁶

Precautions and Disclaimer

For Laboratory Use Only. Not for drug, household or other uses.

Preparation Instructions

This product is soluble in 1 M HCl (50 mg/ml), yielding a slightly hazy, colorless to faint yellow/gray solution. It is essentially insoluble in water, alcohol, or acetic acid.¹

References

- 1. The Merck Index, 12th ed., Entry# 1741.
- Wolfe, M. S., et al., *In vitro* degradation and fracture toughness of multilayered porous poly(propylene fumarate)/β-tricalcium phosphate scaffolds. J. Biomed. Mater. Res., 61(1), 159-164 (2002).
- Verdonschot, N., et al., Time-dependent mechanical properties of HA/TCP particles in relation to morsellized bone grafts for use in impaction grafting. J. Biomed. Mater. Res., 58(5), 599-604 (2001).
- Lin, M., et al., Transforming growth factor-β1 adsorbed to tricalciumphosphate coated implants increases peri-implant bone remodeling. Biomaterials, **22(3)**, 189-193 (2001).
- Monchau, F., et al., *In vitro* studies of human and rat osteoclast activity on hydroxyapatite, β-tricalcium phosphate, calcium carbonate. Biomol. Eng., **19(2-6)**, 143-152 (2002).
- Cox, M., et al., Effect of TCP sintering temperatures on MRC-5 fibroblast proliferation and viability. Biomed. Sci. Instrum., 38, 173-178 (2002).

GCY/NSB 4/03

Sigma brand products are sold through Sigma-Aldrich, Inc.

Sigma-Aldrich, Inc. warrants that its products conform to the information contained in this and other Sigma-Aldrich publications. Purchaser must determine the suitability of the product(s) for their particular use. Additional terms and conditions may apply. Please see reverse side of the invoice or packing slip.