Sigma-Aldrich_®

Product Information

Ribonuclease A from bovine pancreas

Sigma Type III-A, ≥85% RNase A basis (SDS-PAGE), 85-140 Kunitz units/mg protein

R5125

Product Description

CAS Registry Number: 9001-99-4

Enzyme Commission (EC) Number: 3.1.27.5

Synonyms: RNase A, Pancreatic ribonuclease,

Ribonuclease 3'-pyrimidinooligonucleotidohydrolase, Ribonuclease I, Endoribonuclease I

Molecular mass: 1 13.7 kDa (based on

amino acid sequence)

Extinction coefficient: 2 E^{1%} = 7.1 (280 nm)

Isoelectric point: 3 pI = 9.6

Optimal temperature: 60 °C (activity range of

15-70 °C)

Optimal pH:⁴ 7.6 (activity range of 6-10)

Inhibitors: ribonuclease inhibitor

RNase A is an endoribonuclease that attacks at the 3'-phosphate of a pyrimidine nucleotide. For example, RNase A will cleave pG-pG-pC-pA-pG to give pG-pG-pCp and A-pG. The highest activity is exhibited with single-stranded RNA.⁵

RNase A is a single chain polypeptide with 4 disulfide bridges. In contrast to RNase B, RNase A is not a glycoprotein.⁶ RNase A can be inhibited by alkylation of His¹² or His¹¹⁹ (present in the active site of the enzyme).⁷ Activators of RNase A include potassium and sodium salts.

Several theses^{8,9} and dissertations¹⁰⁻¹⁷ have cited use of product R5125 in their protocols.

Precautions and Disclaimer

For R&D use only. Not for drug, household, or other uses. Please consult the Safety Data Sheet for information regarding hazards and safe handling practices.

Solubility

This product is soluble in water at 1 mg/mL.

Preparation Instructions

Solutions prepared from RNase A lyophilized powder can be made free of DNase by boiling. One procedure is as follows, according to one literature method:¹⁸

- 1. Prepare a 10 mg/mL stock solution in 10 mM sodium acetate buffer, pH 5.2.
- 2. Heat to 100 °C for 15 minutes. Allow to cool to room temperature.
- Adjust to pH 7.4 using 0.1 volume of 1 M Trizma[®]-HCl, pH 7.4.
- 4. Aliquot and store at -20 °C.

If RNase A is boiled at a neutral pH, precipitation will occur. When boiled at a lower pH, some precipitation may occur because of protein impurities that are present.

Storage/Stability

This product is supplied as a lyophilized powder. Store RNase A at -20 °C.

RNase A is a very stable enzyme. Stock solutions stored in frozen aliquots remain active for at least 6 months. RNase A solutions have been reported to withstand temperatures up to 100 °C. At 100 °C, an RNase A solution is most stable between pH 2.0-4.5.¹⁹

Usage

1

A major application for RNase A is the removal of RNA from preparations of plasmid DNA. For this application, DNase-free RNase A is used at a final concentration of 10 μ g/mL.²⁰

References

- 1. Smyth, D.G. et al., J. Biol. Chem., **238(1)**, 227-234 (1963).
- Keller, P.J. et al., J. Biol. Chem., 233(2), 344-349 (1958).



- 3. Tanford, C., and Hauenstein, J. D., *J. Am. Chem. Soc.*, **78(20)**, 5287-5291 (1956).
- 4. Schomberg, D., and Salzmann, M., *Enzyme Handbook*, Vol. 3, 1-3, under EC 3.1.27.5 (1990).
- 5. Burrell, M.M., *Methods Mol. Biol.*, **16**, 263-270 (1993).
- Plummer, T.H., Jr., and Hirs, C.H.W., J. Biol. Chem., 238(4), 1396-1401 (1963).
- 7. Heinrikson, R.L. *et al.*, *J. Biol. Chem.*, **240(7)**, 2921-2934 (1965).
- 8. Berthelet, Sharon, "Integrated Analysis of the Multifunctional Protein Aftlp". University of Ottawa, M.Sc. thesis, pp. 24, 64 (2008).
- Lovas, P. Michael, "A Comprehensive Approach to the Testing of The Anterior Cruciate Ligament (ACL) And ACL Reconstruction Allografts".
 Dalhousie University, M.Sc. thesis, p. 81 (2007).
- Wayman, William Rittenhouse, "From gamete collection to database development: development of a model cryopreserved germplasm repository for aquatic species with emphasis on sturgeon". Louisiana State University, Ph.D. dissertation, p. 197 (2003).
- Cross, Courtney Elizabeth, "Biological and Functional Consequences of Single Nucleotide Polymorphisms of the O⁶-Methylguanine-DNA-Methyltransferase Gene". University of Texas Medical Branch, Ph.D. dissertation, p. 29 (2011).
- 12. Pufan, Ramona Miana, "Parkinson's Disease and Mechanisms of Fast Axonal Transport". University of Illinois at Chicago, Ph.D. dissertation, p. 71 (2011).
- Lohr, Verena, "Characterization of the avian designer cells AGE1.CR and AGE1.CR.pIX considering growth, metabolism and production of influenza virus and Modified Vaccinia Virus Ankara (MVA)". Otto-von-Guericke-Universität Magdeburg, Dr.-Ing. dissertation, p. 147 (2014).
- 14. Creasy, Kate Townsend, "Zhx2 Regulation Of Lipid Metabolism And The Balance Between Cardiovascular And Hepatic Health". University of Kentucky, Ph.D. dissertation, p. 22 (2015).
- Marshall, John, "Invasion Ecology and Biology of Blackberries of the Rubus fruticosus L. agg. in Australia". Flinders University, Ph.D. dissertation, p. 179 (2015).

- Pérez, Iago Molist, "Mechanism and Regulation of Cytokinesis in budding yeast Saccharomyces cerevisiae". Universidad de Cantabria, Ph.D. dissertation, pp. 45, 60 (2017).
- 17. Simonet, Stephanie, "Radiosensitizing effect of AGuIX® in Head and Neck Squamous Cell Carcinoma (HNSCC): from cellular uptake to subcellular damage". Université de Lyon, Ph.D. dissertation, p. 145 (2018).
- Sambrook, J., and Russell, D.W., Molecular Cloning, A Laboratory Manual (3rd ed). Cold Spring Harbor Laboratory Press (Cold Spring Harbor, NY), Volume 3, A4.39 (2001).
- 19. Crestfield, A.M. et al., J. Biol. Chem., **238(2)**, 618-621 (1963).
- 20. Sambrook and Russell, Volume 1, 1.78-1.79 (2001).

Notice

We provide information and advice to our customers on application technologies and regulatory matters to the best of our knowledge and ability, but without obligation or liability. Existing laws and regulations are to be observed in all cases by our customers. This also applies in respect to any rights of third parties. Our information and advice do not relieve our customers of their own responsibility for checking the suitability of our products for the envisaged purpose.

The information in this document is subject to change without notice and should not be construed as a commitment by the manufacturing or selling entity, or an affiliate. We assume no responsibility for any errors that may appear in this document.

Technical Assistance

Visit the tech service page at <u>SigmaAldrich.com/techservice</u>.

Standard Warranty

The applicable warranty for the products listed in this publication may be found at SigmaAldrich.com/terms.

Contact Information

For the location of the office nearest you, go to SigmaAldrich.com/offices.

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the U.S. and Canada.

