# Sigma-Aldrich

**Product Information** 

# M16 Medium

With Sodium Bicarbonate and Lactic Acid, Without Penicillin and Streptomycin

#### M7292

Storage Temperature: 2-8 °C

# **Product Description**

M2 and M16 Medium are common media for *in vitro* culture of preimplantation stage embryos. It is a modified Krebs-Ringer bicarbonate solution, which is very similar to Whitten's Medium. M16 contains pyruvate and lactate as energy sources since preimplantation embryos do not utilize glucose efficiently. M2 Medium is a further modification of M16 that substitutes HEPES buffer in place of some of the bicarbonate. M2 is used for collecting and handling embryos for prolonged periods outside a  $CO_2$  incubator.

Biological Performance: This product is tested for its ability to support the development of one-cell mouse embryos to expanded blastocysts. Minimum requirement is 80% development to blastocyst.

Components	g/L
Calcium Chloride • 2H <sub>2</sub> O	0.25137
Magnesium Sulfate (anhydrous)	0.1649
Potassium Chloride	0.35635
Potassium Phosphate, Monobasic	0.162
Sodium Bicarbonate	2.101
Sodium Chloride	5.53193
Albumin, Bovine Fraction V	4.0
D-Glucose	1.0
Phenol Red • Na	0.106
Pyruvic Acid • Na	0.0363
DL-Lactic Acid × Na	2.95

Supplement with 0.06 g/L potassium penicillin-G and 0.05 g/L streptomycin sulfate.

## Precautions and Disclaimer

This product is for R&D use only, not for drug, household, or other uses. Please consult the Safety Data Sheet for information regarding hazards and safe handling practices.

# Storage/Stability

Store the liquid medium at 2–8 °C in the dark. The nature of supplements added may affect storage conditions and shelf life of the medium. Product label bears expiration date. Deterioration of the liquid medium may be recognized by any of the following:

- pH change
- Cloudy appearance
- Color change

**Note:** Slight precipitate or particulate matter may be seen throughout the solution, which does not affect the performance of the product.

# References

- 1. Whitten, W. K. (1971, January). Nutrient requirements for the culture of preimplantation embryos in vitro. In *Schering Symposium on Intrinsic and Extrinsic Factors in Early Mammalian Development, Venice, April 20 to 23, 1970* (pp. 129-141). Pergamon.
- 2. Quinn, P., Barros, C., & Whittingham, D. G. (1982). Preservation of hamster oocytes to assay the fertilizing capacity of human spermatozoa. *Reproduction*, 66(1), 161-168.
- 3. Hogan, B., Costantini, F., & Lacy, E. (1986). *Manipulating the mouse embryo: a laboratory manual* (Vol. 34). Cold Spring Harbor, NY: Cold spring harbor laboratory.



### Notice

We provide information and advice to our customers on application technologies and regulatory matters to the best of our knowledge and ability, but without obligation or liability. Existing laws and regulations are to be observed in all cases by our customers. This also applies in respect to any rights of third parties. Our information and advice do not relieve our customers of their own responsibility for checking the suitability of our products for the envisaged purpose.

The information in this document is subject to change without notice and should not be construed as a commitment by the manufacturing or selling entity, or an affiliate. We assume no responsibility for any errors that may appear in this document.

#### Technical Assistance

Visit the tech service page at SigmaAldrich.com/techservice.

#### Terms and Conditions of Sale

Warranty, use restrictions, and other conditions of sale may be found at <u>SigmaAldrich.com/terms</u>.

#### Contact Information

For the location of the office nearest you, go to SigmaAldrich.com/offices.

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the U.S. and Canada.

