

3050 Spruce Street Saint Louis, Missouri 63103 USA Telephone 800-325-5832 • (314) 771-5765 Fax (314) 286-7828 email: techserv@sial.com sigma-aldrich.com

ProductInformation

Indoxyl β -D-glucoside

Product Number **I 3750** Storage Temperature -0 °C

Product Description

Molecular Formula: $C_{14}H_{17}NO_6$ Molecular Weight: 295.3 CAS Number: 487-60-5 Melting Point: 57-58 °C. Specific Rotation: -66° (10 mg/ml in water at 19 °C).

This product is a chromogenic substrate used in the detection of β -D-glucosidase activity. This has been used in filter assays to screen water sources and other media for various enterococci and *C. perferingens* contamination.^{2,3,4,5}

Tissue specific, intracellular expression of β -D-glucosidase activity in plants has been assayed.⁶

Precautions and Disclaimer

For Laboratory Use Only. Not for drug, household or other uses.

References

- 1. The Merck Index, 10th ed. Entry# 4833.
- Messer, J. W., and Dufour, A. P., A rapid, specific membrane filtration procedure for enumeration of enterococci in recreational water. Appl. Environ. Microbiol., 64, 678-680 (1998).
- Rhodes, M. W., and Kator, H., Enumeration of Enterococcus sp. using a modified mE method. J. Appl. Microbiol., 83, 120-126 (1997).
- 4. Bisson, J.W., and Cabelli, V.J., Membrane filter enumeration method for Clostridium perfringens. Appl. Environ. Microbiol., **37**, 55-66 (1979).
- Armon, R., and Payment, P., A modified m-CP medium for enumerating Clostridium perfringens from water samples. Can. J. Microbiol., 34, 78-79 (1988).
- Minami, Y., et al., Beta-Glucosidase in the indigo plant: intracellular localization and tissue specific expression in leaves. Plant Cell Physiol., 38, 1069-1074 (1997).

MWM/AJH 9/02