

Product Information

# Anti-Potassium Channel K<sub>V</sub>10.1 (EAG-1)

(Anti-Ether-a-go-go K+ channel 2, Anti-KCNH1) Produced in Rabbit, Affinity Isolated Antibody

#### P0999

# **Product Description**

Anti-Potassium Channel  $K_V10.1$  was developed in rabbit using a peptide GDPAKRKGWARFKDAC, corresponding to residues 802-817 of rat  $K_V10.1$  as the immunogen. This sequence is identical in mouse and has 14/16 residues identical in human. The antibody was affinity isolated on immobilized immunogen.

Anti-Potassium Channel KV10.1 recognizes KV10.1 by Western blotting of rat brain lysate and transfected cells HEK-K $_{\rm V}$ 10.1. The antibody is specific for K $_{\rm V}$ 10.1 and it will not cross-react with K $_{\rm V}$ 10.2

The vast family of K<sup>+</sup> channels has been subdivided into the three main subfamilies, depending on the number of transmembrane domains: the 2 TM, 4 TM and 6 TM K<sup>+</sup> channels.<sup>1,2</sup> The 6 TM family includes the voltage-gated potassium (K<sub>v</sub>) channels, the KCNQ channels, the EAG channels (also including the herg channels), and the calcium-activated potassium channels BK (Slo) and SK. K<sub>V</sub>10.1 is a member of the *Ether-a-go-go* (EAG) family of voltage-activated K<sup>+</sup> channels. Its expression is normally confined to the brain where its physiological function has not yet been clarified.<sup>3</sup> Intriguingly, the K<sub>V</sub>10.1 channel has been implicated in malignant tumor development.<sup>4</sup>

## Reagent

The antibody is supplied as lyophilized powder from phosphate buffered saline, pH 7.4, containing 1% bovine serum albumin and 0.05% sodium azide as preservative.

## Precautions and Disclaimer

For R&D use only. Not for drug, household, or other uses. Please consult the Safety Data Sheet for information regarding hazards and safe handling practices.

# **Preparation Instructions**

Reconstitute the lyophilized vial with 0.05 mL or 0.2 mL deionized water, depending on package size. Further dilutions should be made using a carrier protein such as BSA (1%).

# Storage/Stability

Lyophilized powder can be stored intact at room temperature for several weeks. For extended storage, it should be stored at –20 °C or below. The reconstituted solution can be stored at 2-8 °C for up to 2 weeks. For longer storage, freeze in working aliquots. Repeated freezing and thawing, or storage in "frost-free" freezers, is not recommended. Centrifuge before use. Working dilution samples should be discarded if not used within 12 hours.

#### **Product Profile**

1

The recommended working dilution is 1:200 for immunoblotting.

**Note**: In order to obtain best results in different techniques and preparations we recommend determining optimal working concentration by titration test.



#### References

- Alexander, S.P., et al., Guide to receptors and channels, 1st edition, Br. J. Pharmacol., 141: Suppl 1:S1-S126 (2004).
- 2. Gutman, G.A., et al., International Union of Pharmacology. XLI. Compendium of voltage-gated ion channels: potassium channels, *Pharmacol. Rev.*, **55**: 583-586 (2003).
- Jeng, C.J., et al., Differential localization of rat Eag1 and Eag2 K+ channels in hippocampal neurons, Neuroreport, 16: 229-233 (2005).
- 4. Patt, S., et al., Expression of ether a go-go potassium channels in human gliomas, *Neurosci Lett*, **368** 249-253 (2004).

#### Notice

We provide information and advice to our customers on application technologies and regulatory matters to the best of our knowledge and ability, but without obligation or liability. Existing laws and regulations are to be observed in all cases by our customers. This also applies in respect to any rights of third parties. Our information and advice do not relieve our customers of their own responsibility for checking the suitability of our products for the envisaged purpose.

The information in this document is subject to change without notice and should not be construed as a commitment by the manufacturing or selling entity, or an affiliate. We assume no responsibility for any errors that may appear in this document.

### **Technical Assistance**

Visit the tech service page at SigmaAldrich.com/techservice.

# Standard Warranty

The applicable warranty for the products listed in this publication may be found at SigmaAldrich.com/terms.

## **Contact Information**

For the location of the office nearest you, go to SigmaAldrich.com/offices.

The life science business of Merck operates as MilliporeSigma in the U.S. and Canada.

