

Product Information

MMP-2 Human Recombinant

≥ 1,000 pmol/min/μg, expressed in HEK 293 cells

SAE0174

Storage Temperature -70 °C

E.C. 3.4.24.24

Synonyms: 72 kDa gelatinase, Gelatinase A, Matrix metalloproteinase-2, TBE-1, MMP-2

Product Description

Matrix Metalloproteinase-2 (MMP-2) is a member of the matrix metalloproteinase (MMP) family of proteins. MMPs participate in the breakdown of extracellular matrix in normal physiological processes, such as embryonic development, reproduction, and tissue remodeling, as well as in disease processes, such as arthritis and metastasis.¹ MMP-2 cleaves a plethora of substrates, including extracellular matrix components (collagens, fibronectin, and elastin), soluble metabolic mediators (apolipoproteins, for example), secreted and extracellular matrix-anchored growth factors, and cytokines.^{2, 3, 4}

Along with MMP-9, MMP-2 is involved many pathophysiological processes, including leukocyte migration from the circulation into the tissue during inflammation⁵, Chagas' Cardiomyopathy⁶, heart failure⁷ and chronic kidney disease⁸. MMP-2 thus may be regarded as a potential therapeutic target.

As with most MMPs, MMP-2 is secreted as an inactive pro-protein which is activated when cleaved by extracellular proteinases.¹ This product is not pre-activated.

This product is expressed in human HEK 293 cells as a glycoprotein with a calculated molecular mass of 72 kDa (amino acids 110-660). The DTT-reduced protein migrates as a 75-80 kDa polypeptide on SDS-PAGE because of glycosylation. Additional 3 minor bands of ~ 50 kDa, ~ 37 kDa and ~ 25 kDa may appear. This protein is produced in human cells, without the use of serum. The human cells expression system allows human like glycosylation and folding, and often supports higher specific activity of the protein. This recombinant protein is expressed without artificial tags.

This product is supplied as a 0.22 μm-filtered solution, containing 20 mM Trizma®, pH 7.5, containing 8 mM CaCl₂, 119 mM NaCl, 20% Glycerol and 0.05% Brij® 35.

The specific activity of this recombinant human MMP-2 (APMA-activated) is measured by its ability to cleave the fluorogenic peptide:
Mca-Pro-Leu-Gly-Leu-Dpa-Ala-Arg-NH₂.

Specific activity: ≥ 1,000 pmol/min/μg

Purity (Sum of all peaks): ≥ 95% (SDS-PAGE)

(The related product SAE0175, MMP-2 human recombinant ≥ 1,000 pmol/min/μg, expressed in HEK 293 cells, is an APMA-treated, pre-activated form of this recombinant human MMP-2).

Precautions and Disclaimer

For research use only. Not for drug, household, or other uses. Please consult the Safety Data Sheet for information regarding hazards and safe handling practices.

Storage/Stability

Store the product at -70 °C. The product retains its activity for at least 2 years as supplied. After initial thawing, it is recommended to store the protein in working aliquots at -70 °C.

References

1. Vos, M.C. et al., Reprod. Biol. Endocrinol., **12**: 12 (2014).
2. Eckhard, U. et al., Matrix. Biol. **49**: 37–60 (2016).
3. Iyer, R.P. et al., Am. J. Physiol. Heart. Circ. Physiol. **303**: H919–H930 (2012).
4. Page-McCaw, A. et al., Nat. Rev. Mol. Cell. Biol. **8**: 221–233 (2007).
5. Hannocks, M.J. et al., Matrix. Biol. **75–76**: 102–113 (2019).
6. Medeiros, N.I. et al. Parasite Immunol. **39(8)**: 1–8 (2017).
7. Radosinska, J. et al., Panminerva Med. **59(3)**: 241–253 (2017).
8. Cheng, Z. et al., Int. J. Mol. Sci. **18(4)**: 776 (2017).

Notice

We provide information and advice to our customers on application technologies and regulatory matters to the best of our knowledge and ability, but without obligation or liability. Existing laws and regulations are to be observed in all cases by our customers. This also applies in respect to any rights of third parties. Our information and advice do not relieve our customers of their own responsibility for checking the suitability of our products for the envisaged purpose.

The information in this document is subject to change without notice and should not be construed as a commitment by the manufacturing or selling entity, or an affiliate. We assume no responsibility for any errors that may appear in this document.

Technical Assistance

Visit the tech service page at SigmaAldrich.com/techservice.

Standard Warranty

The applicable warranty for the products listed in this publication may be found at SigmaAldrich.com/terms.

Contact Information

For the location of the office nearest you, go to SigmaAldrich.com/offices.

The life science business of Merck operates as MilliporeSigma in the U.S. and Canada.

Merck and Sigma-Aldrich are trademarks of Merck KGaA, Darmstadt, Germany or its affiliates. All other trademarks are the property of their respective owners. Detailed information on trademarks is available via publicly accessible resources.

© 2021 Merck KGaA, Darmstadt, Germany and/or its affiliates. All Rights Reserved.

SAE0174_MMP Rev 06/21

For research use only. Not for use in diagnostic procedures.

The Merck logo, consisting of the word "MERCK" in a bold, red, sans-serif font.