

Product Information

Chondroitinase ABC from *Proteus Vulgaris*

Recombinant, Low Endotoxin, Aqueous Solution,
 ≥ 100 U/mL, 50-250 units/mg protein, BSA free

SAE0150

Storage temperature: -70 °C

EC 4.2.2.20

Uniprot: P59807

Synonyms: chondroitin-sulfate-ABC endolyase component.

Product Description


Chondroitinase ABC from *Proteus vulgaris* catalyzes endolytic cleavage of (1->4)-beta-galactosaminic bonds between *N*-acetylgalactosamine and either D-glucuronic acid or L-iduronic acid, to produce a mixture of Δ(4)-unsaturated oligosaccharides of different sizes. Chondroitinase ABC acts on chondroitin 4-sulfate, chondroitin 6-sulfate, and dermatan sulfate, and acts slowly on hyaluronate.¹ Chondroitin sulfate belongs to a group of glycosaminoglycans (GAGs), and is a linear polysaccharide that can be found in ECM (Extracellular Matrix) and in cartilage as structural component^{2,3}. Chondroitin sulfate and Dermatan sulfate have a regulatory function in different cellular processes, in the immune system and in development^{4,5}.

While Chondroitinase ABC purified from *Proteus vulgaris* (C3667) is a mixture of two enzymes, chondroitin-sulfate-ABC endolyase component and chondroitin-sulfate-ABC exolyase, this recombinant product contains only the endolyase component, and has a calculated molecular weight of 112 kDa.

A research observation showed that Chondroitinase activity can affect spinal cord lesion by cleavage of GAGs⁶. Chondroitinase also shows a protective effect in mouse model for Parkinson's disease.⁷ Different application can be found in analytical quantitation of chondroitin sulphate and hyaluronan disaccharides⁸.

Unit definition: 1 unit will liberate 1.0 μmole of unsaturated disaccharides per min at pH 8.0 at 37 °C, using chondroitin sulfate from shark cartilage (C4384) as substrate.

The assay is based on the formation of Δ 4,5-unsaturated disaccharides that absorbs at 232 nm¹.



pH optimum:¹

- pH 8.0 (chondroitin sulfate)
- pH 6.8 (hyaluronic acid)

Temperature optimum:¹ 37 °C

Activator:⁴ 0.05 M acetate

Inhibitors:⁹ 1 mM Zn²⁺, Ni²⁺, Fe²⁺ and Cu²⁺

This recombinant Chondroitinase ABC (Uniprot P59807) is expressed in *Escherichia coli*. The purified protein, without any purification tags, is supplied in a solution containing 50 mM HEPES, pH 8.0, 50 mM NaCl, 30 mM Imidazole, 40 mg/mL Trehalose, and 10% (w/v) Glycerol.

Precautions and Disclaimer

For R&D use only. Not for drug, household, or other uses. Please consult the Safety Data Sheet for information regarding hazards and safe handling practices.

Storage/Stability

The product is stable for at least 2 years as supplied at -70 °C, or for 6 months if stored at -20 °C.

References

1. Yamagata, T. *et al.*, *J. Biol. Chem.*, **243(7)**, 1523-1535 (1968).
2. Viapiano, M.S., and Matthews, R.T., *Trends Mol. Med.* **12(10)**, 488-496 (2006).
3. Mouw, J.K. *et al.*, *Nat. Rev. Mol. Cell Biol.* **15**, 771-785 (2014).
4. Maeda, N. *et al.* *Neurochem. Res.* **36(7)**, 1228-1240 (2011).
5. Benito-Arenas, R. *et al.*, *Catalysts*, **9(4)**, 322 (2019)
6. Bradbury, E.J., and Carter, L.M., *Brain Res. Bull.*, **84(4-5)**, 306-316 (2011)
7. Fletcher, E.J.R. *et al.*, *BMC Neurosci.*, **20(1)**, 61 (2019).
8. Grøndahl, F. *et al.*, *Carbohydr. Res.*, **346(1)**, 50-57 (2011).
9. Hamai, A. *et al.* *J. Biol. Chem.* **272(14)**, 9123-9130 (1997).

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the U.S. and Canada.

MilliporeSigma, and Sigma-Aldrich are trademarks of Merck KGaA, Darmstadt, Germany or its affiliates. All other trademarks are the property of their respective owners. Detailed information on trademarks is available via publicly accessible resources.

© 2021 Merck KGaA, Darmstadt, Germany and/or its affiliates. All Rights Reserved.

SAE0150dat Rev 05/21

Notice

We provide information and advice to our customers on application technologies and regulatory matters to the best of our knowledge and ability, but without obligation or liability. Existing laws and regulations are to be observed in all cases by our customers. This also applies in respect to any rights of third parties. Our information and advice do not relieve our customers of their own responsibility for checking the suitability of our products for the envisaged purpose.

The information in this document is subject to change without notice and should not be construed as a commitment by the manufacturing or selling entity, or an affiliate. We assume no responsibility for any errors that may appear in this document.

Technical Assistance

Visit the tech service page at SigmaAldrich.com/techservice.

Standard Warranty

The applicable warranty for the products listed in this publication may be found at SigmaAldrich.com/terms.

Contact Information

For the location of the office nearest you, go to SigmaAldrich.com/offices.

**MILLIPORE
SIGMA**