

3050 Spruce Street, St. Louis, MO 63103 USA
Tel: (800) 521-8956 (314) 771-5765 Fax: (800) 325-5052 (314) 771-5757
email: techservice@sial.com sigma-aldrich.com

# **Product Information**

## IgG from goat serum

reagent grade

Catalog Number 15256

#### Description

Purified Goat IgG is isolated from pooled normal goat serum by fractionation and ion-exchange chromatography.

#### Reagent

Supplied as an essentially salt-free, lyophilized powder.

#### **Precautions and Disclaimer**

This product is for R&D use only, not for drug, household, or other uses. Please consult the Material Safety Data Sheet for information regarding hazards and safe handling practices.

### Reconstitution

The product is essentially a salt-free preparation and should be reconstituted to a minimum of 1mg/ml with a saline (150 mM NaCl) solution. Protein concentration should be determined after reconstitution by absorbance at 280 nm ( $E_{280}^{1\%}$  = 14).

## **Storage**

Prior to reconstitution, store at 2-8  $^{\circ}$ C. After reconstitution, store aliquots at -20  $^{\circ}$ C. Repeated freezing and thawing is not recommended.

#### Uses

Purified IgG may be used as a reference antigen, standard, blocking agent or coating protein in a variety of immunoassays including ELISA, dot immunobinding, Western immunoblotting, immunodiffusion and immunoelectrophoresis. Other applications include starting materials for the preparation of immunogens and solid-phase immunoadsorbents.

### **Performance Characteristics**

Purity: ≥95% (SDS-PAGE)

Identity by Immunoelectrophoresis: Single major arc of precipitation in the gamma region versus anti-goat whole serum and anti-goat IgG. Minor gamma arcs may be present versus anti-goat whole serum

PHC 06/12-1