



GOAT ANTI-ADENOVIRUS FITC CONJUGATED POLYCLONAL ANTIBODY

CATALOG NUMBER:	AB1056F	QUANTITY:	1 mL
LOT NUMBER:			
SPECIFICITY:	Adenovirus, hexon assembly. No cross-reactivity with Para 1-3, Influenza A & B or RSV. Non reactive with HEp-2 cells.		
IMMUNOGEN:	Hexon from adenovirus type 5.		
APPLICATIONS:	Direct FA staining of target antigens in a permissive tissue culture system. Suggested dilution: 1:10-1:50. Acetone fixation of the antigen source is recommended prior to staining. Optimal working dilutions must be determined by end user		
FORMAT:	IgG fraction conjugated to FITC.		
PRESENTATION:	In PBS (0.01 M, pH 7.2) containing 10 mg/mL BSA and 0.1% sodium azide		
STORAGE/HANDLING:	Store at -20°C in undiluted aliquots for up to 12 months or maintain at 2-8°C for 3 months. Avoid repeated freeze/thaw cycles. Store under subdued light.		

Important Note: *During shipment, small volumes of product will occasionally become entrapped in the seal of the product vial. For products with volumes of 200 µL or less, we recommend gently tapping the vial on a hard surface or briefly centrifuging the vial in a tabletop centrifuge to dislodge any liquid in the container's cap.*

FOR RESEARCH USE ONLY; NOT FOR USE IN DIAGNOSTIC
PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION

Unless otherwise stated in our catalog or other company documentation accompanying the product(s), our products are intended for research use only and are not to be used for any other purpose, which includes but is not limited to, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses or any type of consumption or application to humans or animals.

©2002 - 2011: Millipore Corporation. All rights reserved. No part of these works may be reproduced in any form without permission in writing.