



3050 Spruce Street
Saint Louis, Missouri 63103 USA
Telephone 800-325-5832 • (314) 771-5765
Fax (314) 286-7828
email: techserv@sial.com
sigma-aldrich.com

Product Information

(S)-(-)-Propranolol hydrochloride

Product Number **P 8688**

Storage Temperature 2-8 °C

Product Description

Molecular Formula: $C_{16}H_{21}NO_2 \cdot HCl$

Molecular Weight: 295.8

CAS Number: 3506-09-0

pK_a : 9.5 (24 °C)¹

Melting point: 163-164 °C²

Extinction coefficient: $E^{1\%} = 222$ (288 nm, acidified H_2O); 240 (290 nm, methanol); 143 (306 nm, methanol); 86 (319 nm, methanol)¹

Propranolol is a non-cardioselective β blocker that is reported to have membrane-stabilizing properties, but does not possess intrinsic sympathomimetic activity.³

This product is a purified S(-) isomer. The pharmacological properties of the optical isomers have been reported in experiments with animals. The (-)-isomer is 60-100 times more active than the (+)-isomer in blocking the inotropic, chronotropic, and vasodepressor actions of isoprenaline.⁴ The (-)-isomer is much more active at blocking β -adrenergic stimulation.⁵ A review of the pharmacokinetics has been published.⁶

Propranolol is also an inhibitor of Protein Kinase C.⁷

Precautions and Disclaimer

For Laboratory Use Only. Not for drug, household or other uses.

Preparation Instructions

Propranolol HCl is soluble in water and alcohol (10 mg/ml). It is slightly soluble in chloroform and practically insoluble in ether, benzene, and ethyl acetate.^{2,3}

Storage/Stability

In aqueous solutions, propranolol decomposes with oxidation of the isopropylamine side-chain, accompanied by a reduction in pH and discoloration of the solution. Solutions of propranolol are most stable at pH 3. Propranolol decomposes rapidly in alkaline solutions.³

References

1. Clarke's Isolation and Identification of Drugs, Moffat, A. C. et al., eds, The Pharmaceutical Press (London, GB: 1986), p. 936.
2. The Merck Index, 12th ed., Entry# 8025.
3. Martindale The Extra Pharmacopoeia, 31st ed., Reynolds, J. E. F., ed., Royal Pharmaceutical Society (London, England: 1996), p. 936-3.
4. Howe, R., and Shanks, R. G., Optical isomers of propranolol. *Nature*, **210(43)**, 1336-1338 (1966).
5. Data for Biochemical Research, 3rd ed., Dawson, R. M. C., et al., Oxford University Press (New York, NY: 1986), p. 347.
6. Silber, B. M., et al., Dose-dependent elimination of propranolol and its major metabolites in humans. *J. Pharm. Sci.*, **72(7)**, 725-732 (1983).
7. Sozzani, S., et al., Propranolol, a phosphatidate phosphohydrolase inhibitor, also inhibits protein kinase C. *J. Biol. Chem.*, **267(28)**, 20481-20488 (1992).

MWM/NSB 10/03

Sigma brand products are sold through Sigma-Aldrich, Inc.

Sigma-Aldrich, Inc. warrants that its products conform to the information contained in this and other Sigma-Aldrich publications. Purchaser must determine the suitability of the product(s) for their particular use. Additional terms and conditions may apply. Please see reverse side of the invoice or packing slip.