

3050 Spruce Street, St. Louis, MO 63103 USA
Tel: (800) 521-8956 (314) 771-5765 Fax: (800) 325-5052 (314) 771-5757
email: techservice@sial.com sigma-aldrich.com

Product Information

Anti-Human IgG (whole molecule) produced in goat, IgG fraction of antiserum

Catalog Number I1886

Product Description

Antiserum is produced in goat using purified human IgG as immunogen. To ensure specificity, the antiserum is adsorbed, if necessary, using solid phase techniques. Whole antiserum is fractionated and chromatographed by ion exchange chromatography to provide the IgG fraction.

The antiserum is determined to be immunospecific for human IgG by immunoelectrophoresis versus normal human serum and human IgG. Reactivity with light chains is observed.

Identity and purity of the antibody is established by immunoelectrophoresis (IEP). Electrophoresis of the product followed by diffusion versus anti-goat IgG and anti-goat whole serum results in single arcs of precipitation in the gamma region.

Reagents

The product is supplied as a liquid in 0.01 M phosphate buffered saline, pH 7.4, containing 15 mM sodium azide as a preservative.

Precautions and Disclaimer

This product is for R&D use only, not for drug, household, or other uses. Please consult the Material Safety Data Sheet for information regarding hazards and safe handling practices.

Product Profile

Each milliliter of product contains ~3.0 mg of specific antibody. Normal human serum is used to determine the antibody concentration by a quantitative precipitin assay.

Storage

For continuous use, store at 2-8 °C for up to one month. For extended storage, the solution may be frozen in working aliquots. Repeated freezing and thawing, or storage in "frost-free" freezers, is not recommended. If slight turbidity occurs upon prolonged storage, clarify the solution by centrifugation before use.

PHC 02/12-1