



3050 Spruce Street  
Saint Louis, Missouri 63103 USA  
Telephone 800-325-5832 • (314) 771-5765  
Fax (314) 286-7828  
email: techserv@sial.com  
sigma-aldrich.com

## Product Information

### ANTI-MOUSE IgG (Fab specific)

Developed in Goat

F(ab')<sub>2</sub> Fragment of Affinity Isolated Antibody

Adsorbed with Bovine, Horse and Human Serum Proteins

Product No. **M 0659**

#### Product Description

Anti-Mouse IgG is developed in goat using purified mouse IgG as the immunogen. The F(ab')<sub>2</sub> fragment of the antibody is obtained from pepsin-digested antiserum by immunospecific methods of purification. Affinity isolation removes essentially all goat serum proteins, including immunoglobulins, which do not specifically bind to the Fab fragment of mouse IgG. The antibody preparation is solid phase adsorbed with human serum proteins to ensure minimal cross reactivity in tissue or cell preparations. Solid phase adsorption with bovine and horse serum proteins ensures minimal cross reactivity with horse or fetal calf serum in hybridoma media.

The product is determined to be monospecific by immunoelectrophoresis (IEP), versus normal mouse serum, mouse IgG and the Fab fragment of mouse IgG.

No cross reaction is observed with the Fc fragment of mouse IgG. No reactivity is observed with human kappa or lambda light chain, IgG, IgA, IgM, IgD and IgE, bovine IgG and IgM, or horse IgG as demonstrated by ELISA.

Identity and purity of the antibody is established by immunoelectrophoresis. Electrophoresis of the antibody preparation followed by diffusion versus anti-goat IgG and anti-goat whole serum results in single arcs of precipitation. The antibody preparation is found to consist only of the F(ab')<sub>2</sub> fragment of goat IgG by immunoelectrophoresis, where specific antisera is applied to goat IgG fragments. No contamination with goat IgG whole molecule is observed.

The reagent is a specific antigen-binding fragment devoid of effector functions, useful as a starting material for conjugates and applicable with primary monoclonal mouse antibodies of IgG isotype.

#### Reagents

The product is provided in 0.01 M phosphate buffered saline, pH 7.4 with 7.5mM sodium azide as a preservative.

#### Precautions

Due to the sodium azide content a material safety data sheet (MSDS) for this product has been sent to the attention of the safety officer of your institution. Consult the MSDS for information regarding hazardous and safe handling practices.

#### Product Profile

Protein Concentration: 2.0-2.5 mg F(ab')<sub>2</sub> fragment of antibody per ml.

#### Storage

For continuous use, store at 2-8 °C for up to one month. For extended storage freeze in working aliquots. Repeated freezing and thawing is not recommended. Storage in "frost-free" freezers is not recommended. If slight turbidity occurs upon prolonged storage, clarify the solution by centrifugation before use.

Pcs2/00

Sigma brand products are sold through Sigma-Aldrich, Inc.

Sigma-Aldrich, Inc. warrants that its products conform to the information contained in this and other Sigma-Aldrich publications.

Purchaser must determine the suitability of the product(s) for their particular use. Additional terms and conditions may apply.

Please see reverse side of the invoice or packing slip.