

SAFETY DATA SHEET

Version 8.10 Revision Date 04/28/2025 Print Date 04/29/2025

SECTION 1. IDENTIFICATION

1.1 Product identifiers

Product name : 2-Butenylmagnesium chloride solution

Product Number : 419583 Brand : Aldrich CAS-No. : 22649-70-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids : Category 2

Acute toxicity (Oral) : Category 4

Aldrich - 419583 Page 1 of 16



Skin corrosion : Category 1B

Serious eye damage : Category 1

Carcinogenicity : Category 2

Specific target organ : Category 3 (Respiratory system, Central nervous

toxicity - single exposure system)

Other hazards

May form explosive peroxides.

GHS label elements

Hazard pictograms









Signal Word : Danger

Hazard Statements : H225 Highly flammable liquid and vapor.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H351 Suspected of causing cancer.

Precautionary Statements:

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have

been read and understood.

P210 Keep away from heat/ sparks/ open flames/ hot

surfaces. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/

lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static

discharge.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/

spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this

product.

P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON

Aldrich - 419583

Page 2 of 16

CENTER/ doctor if you feel unwell. Rinse mouth. P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P363 Wash contaminated clothing before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Tetrahydrofuran	109-99-9*	>= 90 - <= 100	-
2-Butenylmagnesium chloride solution	22649-70-3*	>= 5 - < 10	-

^{*} Indicates that the identifier is a CAS No.

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : First aiders need to protect themselves.

Show this material safety data sheet to the doctor in

attendance.

If inhaled : After inhalation: fresh air. Call in physician.

Aldrich - 419583

Millipore SiGMa

Page 3 of 16

: In case of skin contact: Take off immediately all In case of skin contact

contaminated clothing. Rinse skin with water/ shower.

Call a physician immediately.

In case of eye contact : After eye contact: rinse out with plenty of water.

Immediately call in ophthalmologist.

Remove contact lenses.

If swallowed : After swallowing: make victim drink water (two

glasses at most), avoid vomiting (risk of perforation).

Call a physician immediately. Do not attempt to neutralise.

Most important symptoms and effects, both acute and delayed

: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in

section 11

Protection of first-aiders : For personal protection see section 8.

Notes to physician : No data available

SECTION 5. FIRE-FIGHTING MEASURES

Unsuitable extinguishing

media

: For this substance/mixture no limitations of

extinguishing agents are given.

Specific hazards during

fire fighting

: Pay attention to flashback.

Vapors are heavier than air and may spread along

floors.

Forms explosive mixtures with air at ambient

temperatures.

Hazardous combustion

products

: Carbon oxides

Hydrogen chloride gas

Magnesium oxide

Specific extinguishing

methods

: No data available

Aldrich - 419583



Page 4 of 16

Further information : Remove container from danger zone and cool with

water.

Suppress (knock down) gases/vapors/mists with a

water spray jet.

Prevent fire extinguishing water from contaminating

surface water or the ground water system.

Special protective equipment for fire-

fighters

: Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel:

Do not breathe vapors, aerosols.

Avoid substance contact. Ensure adequate ventilation.

Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency

procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

Do not let product enter drains.

Risk of explosion.

Methods and materials for containment and

cleaning up

: Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7

and 10).

Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected

area.

SECTION 7. HANDLING AND STORAGE

For precautions see section 2.2.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and

sources of ignition.

Take precautionary measures against static discharge.

Advice on safe handling : Work under hood. Do not inhale substance/mixture.

Avoid generation of vapours/aerosols.

Further information on storage conditions

Keep container tightly closed in a dry and well-

ventilated place.

Keep away from heat and sources of ignition.

Aldrich - 419583

lilliPOR**e**

Page 5 of 16

Storage class : 3, Flammable liquids

Recommended storage

temperature

: Recommended storage temperature see product label.

Further information on

storage stability

: Test for peroxide formation periodically and before

distillation.

: Suitable material: Sure-Seal Bottles Packaging material

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Tetrahydrofuran	109-99-9	TWA	50 ppm	ACGIH
		STEL	100 ppm	ACGIH
		ST	250 ppm 735 mg/m3	NIOSH REL
		TWA	200 ppm 590 mg/m3	NIOSH REL
		TWA	200 ppm 590 mg/m3	OSHA Z-1

Biological occupational exposure limits

Components	CAS-No.	Control	Biological	·	Permissibl	Basis
		parameter	specimen	g time	е	
		S			concentrat	
					ion	
Tetrahydrofuran	109-99-9	Tetrahydr	Urine	End of	2 mg/l	ACGIH
		ofuran		shift		BEI
				(As		
				soon as		
				possible		
				after		
				exposur		
				e		
				ceases)		

Engineering measures : No data available

Personal protective equipment

Respiratory protection : required when vapours/aerosols are generated.

> Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying

> standards relating to the used respiratory protection

Aldrich - 419583 Page 6 of 16



system.

Recommended Filter

type:

: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection

Material : butyl-rubber
Break through time : 10 min
Glove thickness : 0.3 mm

Protective index : Splash contact

Manufacturer : Butoject® (KCL 897 / Aldrich Z677647, Size M)

Manufacturer : data source: KCL GmbH, D-36124 Eichenzell, phone

+49 (0)6659 87300, e-mail sales@kcl.de, test

method: EN374

Remarks : Handle with gloves. Gloves must be inspected prior to

use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good

laboratory practices. Wash and dry hands.

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be

evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use

by our customers. It should not be construed as offering an approval for any specific use scenario.

Eye protection : Use equipment for eye protection tested and

approved under appropriate government standards

such as NIOSH (US) or EN 166(EU).

Tightly fitting safety goggles

Skin and body protection : Flame retardant antistatic protective clothing.

Hygiene measures : Immediately change contaminated clothing. Apply

preventive skin protection. Wash hands and face

after working with substance.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Aldrich - 419583

Page 7 of 16



: liquid Appearance

Color : No data available

Odor : No data available

Odor Threshold : No data available

: No data available pΗ

Melting point : No data available

Boiling point/boiling range : No data available

: 1 °F / -17 °C Flash point

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Flammability (liquids) : No data available

Burning rate : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

: 0.921 g/cm3 Density

Water solubility : No data available

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available

Decomposition temperature

: No data available

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Aldrich - 419583

Page 8 of 16

Flow time : No data available

Explosive properties : Not classified as explosive.

Oxidizing properties : none

Molecular weight : 114.86 g/mol

Particle characteristics

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Formation of peroxides possible.

Vapors may form explosive mixture with air.

Chemical stability : The product is chemically stable under standard

ambient conditions (room temperature) .

Possibility of hazardous

reactions

: No data available

Conditions to avoid : Warming.

Moisture.

Incompatible materials : Water

Oxidizing agents

Strong oxidizing agents

Oxygen Alcohols acids

Hazardous decomposition

products

: Peroxides

: In the event of fire: see section 5

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Oral: No data available

Acute toxicity estimate Oral - 1,458 mg/kg

(Calculation method)

Inhalation: No data available

Aldrich - 419583

UiPORe

Acute toxicity estimate Inhalation - 4 h - 26.13 mg/l - dust/mist(Calculation method)

Dermal: No data available

Acute toxicity estimate Dermal - 2,330 mg/kg

(Calculation method)

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Tetrahydrofuran)

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea Stomach - Irregularities - Based on Human Evidence

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Tetrahydrofuran:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 2,160

Aldrich - 419583

Page 10 of 16



mg/l

End point: mortality Exposure time: 96 h

Test Type: flow-through test Analytical monitoring: yes

Method: OECD Test Guideline 203

Toxicity to daphnia and

other aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 3,485 mg/l

End point: mortality Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to fish (Chronic

toxicity)

: NOEC (Pimephales promelas (fathead minnow)): 216

mg/l

End point: Growth inhibition

Exposure time: 33 d

Test Type: flow-through test Analytical monitoring: yes

Remarks: (ECHA)

2-Butenylmagnesium chloride solution:

Toxicity to fish : Remarks: No data available

Persistence and degradability

Components:

Tetrahydrofuran:

Biodegradability : aerobic

> Inoculum: activated sludge Concentration: 2 mg/l Biochemical oxygen demand Result: Not readily biodegradable.

Biodegradation: 39 % Exposure time: 28 d

Method: OECD Test Guideline 301D

2-Butenylmagnesium chloride solution:

Biodegradability : Remarks: No data available

Bioaccumulative potential

Components:

Tetrahydrofuran:

octanol/water

Partition coefficient: n- : log Pow: 0.45 (77 °F / 25 °C) Method: OECD Test Guideline 107

Remarks: Bioaccumulation is not expected.

Aldrich - 419583

Page 11 of 16

2-Butenylmagnesium chloride solution:

Bioaccumulation : Remarks: No data available

Mobility in soil

Components:

2-Butenylmagnesium chloride solution:

Stability in soil : Remarks: No data available

Other adverse effects

Components:

Tetrahydrofuran:

Results of PBT and vPvB

assessment

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex

XIII.

2-Butenylmagnesium chloride solution:

Additional ecological

information

: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Waste material must be disposed of in accordance

with the national and local regulations. Leave

chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product

itself.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No. : UN 2924

Proper shipping name : Flammable liquid, corrosive, n.o.s.

(Tetrahydrofuran, 2-Butenylmagnesium chloride

solution)

Class : 3 Subsidiary risk : 8 Packing group : II

Labels : Class 3 - Flammable liquids, Class 8 - Corrosive

substances

Packing instruction (cargo: 363

aircraft)

Packing instruction : 352

(passenger aircraft)

Aldrich - 419583 Page 12 of 16

IMDG-Code

UN number : UN 2924

Proper shipping name : FLAMMABLE LIQUID, CORROSIVE, N.O.S.

(Tetrahydrofuran, 2-Butenylmagnesium chloride

solution)

Class : 3
Subsidiary risk : 8
Packing group : II
Labels : 3 (8)
EmS Code : F-E, S-C
Marine pollutant : no

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

National regulation

49 CFR Road

UN/ID/NA number : UN 2924

Proper shipping name : Flammable liquids, corrosive, n.o.s.

(Tetrahydrofuran, 2-Butenylmagnesium chloride

solution)

Class : 3 Subsidiary risk : 8 Packing group : II

Labels : Class 3 - Flammable liquids, Class 8 - Corrosive

substances

ERG Code : 132 Marine pollutant : no

Poison Inhalation Hazard : No

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RO (lbs)	Calculated product RQ (lbs)
Tetrahydrofuran	109-99-9	1000	1060

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

Components	CAS-No.	Component TPQ (lbs)
------------	---------	---------------------

SARA 311/312 : Fire Hazard

Hazards Acute Health Hazard

Aldrich - 419583

illipore

Page 13 of 16

Chronic Health Hazard

SARA 313 : This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

US State Regulations

Massachusetts Right To Know

Tetrahydrofuran 109-99-9

Pennsylvania Right To Know

Tetrahydrofuran 109-99-9

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

California Prop. 65

WARNING: This product can expose you to chemicals including Tetrahydrofuran, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:

TSCA : Product contains substance(s) not listed on TSCA

inventory.

TSCA list

ACGIH / TWA

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-

1 Limits for Air Contaminants: 8-hour, time-weighted average

ACGIH / STEL : Short-term exposure limit

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-

hour workday during a 40-hour workweek

Aldrich - 419583 Page 14 of 16



NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be

exceeded at any time during a workday

OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Decomposition Temperature; SARA Superfund Amendments Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 04/28/2025

Aldrich - 419583

Page 15 of 16



The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

Aldrich - 419583

Millipore SidMa

Page 16 of 16